



Nitrile Technical Data *

Length (min)	mm	240mm			280mm		295mm	Chemo 295mm		
Model		Protect 24NC	Protect 24NS	Protect 24NT	Protect 28NC	Protect 28NI	Protect 29NT	Protect Chemo NC	Protect Chemo NT	Protect Chemo NI
Weight	grams	3.2	3.5 ± .2	4.0	4.0	6.0	7.0	6.0	7.0	6.0
Size		Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium	Medium
Palm width	mm	95±5	95±5	95±5	95±5	95±5	95±5	95±5	95±5	95±5
Finger thickness	mm	0.09 ± 0.01	0.1 ± 0.01	0.13	0.09 ± 0.01	0.10	0.17	0.10	0.17	0.10
Tensile Strength (min) - Before aging	Mpa	22 min	15 min	14.0	22 min	14 min	14.0	22 min	14.0	14.00
Elongation (min) - Before aging	%	550mm	500mm	500mm	550mm	500 min	500mm	550mm	500	500 min
Pinholes		1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL
Colour		Blue	Blue	Blue	Blue	Blue	Blue	Green	Green	Green
Compliance Standards										
EN374		✓	✓	✓	✓	✓	✓	✓	✓	✓
EN388		✓	✓	✓	✓	✓	✓	✓	✓	✓
EN420		✓	✓	✓	✓	✓	✓	✓	✓	✓
EN455		Special Order	Special Order	Special Order	Special Order	Special Order	✓	✓	✓	✓
ASTM D6319		✓	✓	✓	✓	✓	✓	✓	✓	✓
ASTM D5151		Comply	Comply	Comply	Comply	Comply	✓	✓	✓	✓
ASTM D6978-05							✓	✓	✓	✓
CE		✓	✓	✓	✓	✓	✓	✓	✓	✓
510K			✓	✓			✓		✓	
ISO9001		✓	✓	✓	✓	✓	✓	✓	✓	✓
ISO 14001			✓	✓		✓	✓	✓	✓	✓
ISO 13485		✓	✓	✓	✓	✓	✓	✓	✓	✓
Reach		✓	✓	✓	✓	✓	✓	✓	✓	✓
GMP		✓	✓	✓	✓	✓	✓	✓	✓	✓

*Specification will vary subject to each requirement and will be confirmed upon order. E&OE.



Latex Technical Data *

Length (min)	mm	240mm			280mm		295mm
Model		Protect 24LC		Protect 24LT	Protect 28LC	Protect 28LI	Protect 29LT
Weight	grams	4	4.5	5.5	4	6.0	7.0
Size		Medium	Medium	Medium	Medium	Medium	Medium
Palm width	mm	95±5	95±5	95±5	95±5	95±5	95±5
Finger thickness	mm	0.09 ± 0.01	0.1 ± 0.01	0.13	0.10 ± 0.01	0.12	0.17
Tensile Strength (min) - Before aging	Mpa	22 min	15 min	14.0	22 min	24 min	14.0
Elongation (min) - Before aging	%	500	500	500	550	650.00	500
Pinholes		1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL	1.5AQL
Colour		White	White	White	White	White	White
Compliance							
EN374		✓	✓	✓	✓	✓	✓
EN388		✓	✓	✓	✓	✓	✓
EN420		✓	✓	✓	✓	✓	✓
ASTM D3578		✓	✓	✓	✓	✓	✓
ASTM D5151		Comply	Comply	Comply	Comply	✓	✓
CE		✓	✓	✓	✓	✓	✓
510K		✓		✓	✓		✓
ISO9001		✓	✓	✓	✓	✓	✓
ISO 14001				✓	✓	✓	✓
ISO 13485		✓	✓	✓		✓	✓
Reach		✓	✓	✓	✓	✓	✓
GMP		✓	✓	✓	✓	✓	✓

*Specification will vary subject to each requirement and will be confirmed upon order. E&OE.

UFG Gloves Dimension examples				
Size	Weight g/pc	Palm width (mm)		Gloves per box
X Small	2.7 ± 0.2	< 80		100
Small	3.1 ± 0.2	85±5		100
Medium	3.2 ± 0.2	95±5		100
Large	3.8 ± 0.2	105±5		100
X Large	4.0 ± 0.2	> 110	Subject to weight	90

***Specification will vary subject to each requirement and will be confirmed upon order. E&OE.**